



WALL PAD QUOTE REQUEST

Questions about your order?

1-800-875-7780

Colin@fullcirclepadding.com

- Wall padding is manufactured and shipped directly to you by truck. Allow approximately 6-8 weeks for delivery from the time of final approval. This may change during peak times.
- Measure carefully and always double-check your results. **Pads are made to order and are not returnable.**
- Vinyl color charts are included in this PDF.

QUESTIONS ABOUT YOUR WALL PAD PROJECT

1. Length of each wall to be covered

Wall 1 _____ Wall 5 _____

Wall 2 _____ Wall 6 _____

Wall 3 _____ Wall 7 _____

Wall 4 _____ Wall 8 _____

2. Height of the pads _____

Standard sizes are 5, 6 and 7' high but any custom size can be made.

3. How many cutouts are needed for outlets, switches and vents? _____

All cutouts are made at the factory.

4. Type of Application

☐ Indoor ☐ Outdoor

5. Vinyl Number and Color

6. Do you need Custom Digital Graphics?

If yes, how many 2' wide pads would you like graphics on? _____

☐ Yes ☐ No

7. Do you need any Round or Square post pads, or I Beam pads?

Specific measurements are required; please use the appropriate ordering form for instructions on how to measure.

☐ Yes ☐ No

8. Do you need corner pads for this project?

Please note that we'll need the inside measurement of each side of corner.

☐ Yes ☐ No

9. Do you need ASTM E84 Class A Fire Rated wall padding?

Please check with local fire officials to see if required. Our standard wall mat has FR 16oz vinyl and 2" CAL117B foam and will meet most local fire codes.

☐ Yes ☐ No

10. Do you need installation at your facility?

Installation available throughout New England, New York City, Long Island and Northern New Jersey. If we are installing the padding, an FCP representative will come to your facility for measurements. Measuring charge may apply.

☐ Yes ☐ No

11. Do you need Z-Channel for installation?

☐ Yes ☐ No

12. Please complete this form, along with images of your area(s) and email to Colin@fullcirclepadding.com

Orders ship by truck. At time of delivery someone must be available to meet the truck, remove the mats and bring them inside. The truck driver is not obligated to help. The truck driver is only responsible for moving the pads to the end of the trailer. You will be responsible for removing the pads from the truck, checking them over for damage and bringing them inside. You must check carefully for damage and note it on the bill of lading before the driver leaves. Any damage reported after the driver leaves will not be covered.

Pads being installed by Full Circle will be shipped to our warehouse and delivered by us at the time of installation.

BILL TO:

Company Name _____

Address _____

City _____ State _____ Zip _____

Contact Name _____

Phone Number _____

Cell Number _____

Email Address _____

SHIP TO:

Company Name _____

Address _____

City _____ State _____ Zip _____

Contact Name _____

Phone Number _____

Cell Number _____

Email Address _____

☐ Commercial Address ☐ Residential Address / School Address



1084000 SERIES FR WALL PADDING ASTM E 84-05 CLASS "A"

TEST RESULTS	ASTM E84-05
Flamespread	25
Smoke Developed Index	350

SPECIMEN DATA

Time to Ignition (sec)	8
Time to Max FS (sec)	29
Maximum FS (feet)	5.3
Time to 980 F (sec)	Never Reached
Time to End of Tunnel (sec)	Never Reached
Max Temperature (F)	588
Time to Max Temperature (sec)	434
Total Fuel Burned (cubic feet)	49.57
FS*Time Area (ft*min)	52.5
Smoke Area (%Amin)	440.0
Unrounded FSI	27.0

CALIBRATION DATA

Time to Ignition of Last Red Oak (sec)	39.0
Red Oak Smoke Area (%A*min)	121.0

PART NUMBER	DESCRIPTION
1084118	2' x 4' x 2" E84 Class A
1084218	2' x 5' x 2" E84 Class A
1084318	2' x 6' x 2" E84 Class A
1084418	2' x 7' x 2" E84 Class A
1084518	2' x 8' x 2" E84 Class A



Series #1084000 FR Wall Padding Panels comply with the standards set forth by ASTM E84 (Flame spread index if 25 or less, Smoke development index of 450 or less).

This Class "A" rated product meets NFPA 255, UL 723, ANSI 2.5 and UBC 8-1 (42-1).

TESTING LAB

Intertek ETL SEMKO
Testing Services NA, Inc
16015 Shady Falls Road
Elmendorf, TX 78112



19oz Outdoor Vinyl

19oz coated vinyl with low sheen orange peel emboss. Has acrylic lacquering for extended durability. It features a 5 year warranty, exceptional UV properties, is waterproof, mildew resistant and has superior dimensional stability along with tensile and tear strength. The 19oz coated vinyl is heat sealable, digital and screen printable. Meets or exceeds the standards of California Fire Marshall, NFPA 701 and ASTM E-84 Class A.. Applications: Outdoor Field Padding, Rail Padding, Post/Column/I-Beam Padding, and Chain Link Fencing Covers



FCP500 Black



FCP509 Navy



FCP501 Blue



FCP509 Royal Blue



FCP502 Burgundy




FCP508 Red



FCP505 Forest Green



FCP503 Emerald




FCP504 English Brown



FCP510 Sunflower



FCP506 Grey




FCP511 White



16oz Coated FR Vinyl

16oz premium vinyl with three times the coating on the face with a nice leather appearance. Strong adhesion and abrasion resistance for durability. Water proof and mildew resistant. Material is 6P compliant for Phalates and meets CPSIA requirements. Vinyl is heat sealable as well as digital and screen printable.
Fire Retardant (FR) to meet NFPA-701, CSFM and has a Class A rating under ASTM E-84.
Applications: Wall Pads, Floor Mats, Child Development Products, and Gym Mats



FCP300
Black



FCP304
Galaxy Grey




FCP305
Navy



FCP309
Royal Blue



FCP301
Collegiate Blue




FCP307
Purple



FCP302
Dark Maroon



FCP308
Rich Red



FCP306
Orange



FCP310
Yellow



FCP303
Forest Green



18oz Coated Vinyl

18oz coated vinyl with a smooth matte finish. Strong adhesion and abrasion resistance for durability. Waterproof and mildew resistant. the 18oz vinyl is heat sealable as well as digital and screen printable.

Applications: Wall Pads, Floor Pads, Gym Mats, Outdoor Field Padding, Rail Padding, Post/Column/I-Beam Padding, and Chain Link Fencing Covers



FCP409 Royal Blue



FCP406 Navy



FCP403 Dark Purple



FCP408 Red



FCP401 Burgundy



FCP405 Green



FCP407 Orange




FCP411 Yellow




FCP400 Black



FCP404 Gray



FCP410 White



FCP402 Charcoal