Olympus Contract

Boltasport™ With PreFixx®

Applications – Olympus vinyl is designed and built for a variety of performance seating applications, including contract, hospitality, fitness, healthcare, auto/RV, marine and residential.

General Specifications

Width: 54"

Roll Size: 30 yds

Weight per Linear yd: 36 oz.Composition: Face 100% PVC

Backing 100% Spun Polyester

Prefixx® protective coating for increased stain resistance and easy cleaning

Performance Specifications

Abrasion Resistance: 1,800,000 double rubs (#8 Cotton Duck) ASTMD4157-92

Lightfastness (QUV) 650 Hrs. CFFA-2

Mildew Resistant ASTM G-21

Sulfide Stain Resistant

Anti-Microbial

Oil Resistant

Cold Crack -20° CFFA-6A

Manufactured to meet the following Flammability Specifications

- CAL117 E
- UFAC Fabric Class 1
- FMVSS302
- NFPA 260

Normal Care & Cleaning

Remove ordinary dirt and smudges with a mild soap and water solution and a clean, soft cloth or towel. Dry with a soft, lint-free cloth or towel. CAUTION: The use of vinyl "conditioners" or "protectants" is not recommended and should be avoided on vinyl treated with PreFixx® protective finish.

Special Cleaning Problems

To clean difficult stains, locate the staining agent in the list below and follow the corresponding recommended cleaning method. For best results, treat stains immediately.

Cleaning Tip: To determine the method and type of cleaners, the source of the stain should be identified.

Type of Stain:

- · Baby oil, ketchup, chocolate, motor oil, olive oil, grape juice, blood, tea, coffee and betadine use Method 1
- Eye shadow, crayon and grease, use Method 1, if stain remains, use Method 2.
- Tobacco tar (nicotine), permanent felt marker, yellow mustard, lipstick, ballpoint pen and spray paint, use Method 1, if stains remain use Method 2 and for remaining stubborn stains use Method 3.

Method 1: Clean area with Formula 409® All-Purpose Spray Cleaner or Fantastik® Spray Cleaner, using a soft cloth or damp sponge, rinse area with fresh water, then dry with a clean lint-free cloth.

Method 2: Use a solvent-type cleaner, such as rubbing alcohol (isopropyl alcohol). Rinse cleaned area with fresh water then dry with clean lint-free cloth.

Method 3: Use a strong, active solvent cleaner diluted in water (70% water/30% solvent cleaner) such as acetone based nail polish remover (acetone/water). Clean with a soft cloth or damp sponge. Stain should be removed with less than 6 rubs. If the stain persists after 6 rubs, the stain has set and probably cannot be removed. Rinse area with fresh water, then dry with a clean, lint free cloth.